


T7 Transporte de proteinas na célula Cristina Cruz




Approaches to identify the machinery of translocation

Genetic mutants defective for secretion




Biochemical Fractionation & reconstitution





Using biochemistry to identify translocation machinery


Native ER microsomes



Active for transport




Using biochemistry to identify translocation machinery






Using biochemistry to identify translocation machinery





Purification of the active fraction from the salt extract






Key features of the new factor: 'signal recognition protein'



Walter...Blobel J. Cell Biology, 1981 (series of three papers)




Key features of the new factor: 'signal recognition protein'



Walter...Blobel J. Cell Biology, 1981 (series of three papers)





Key features of the new factor: 'signal recognition protein'







Key features of the new factor: 'signal recognition protein'































What is the identity of the putative translocation channel?


























Separating a co-translational process into discrete steps







Separating a co-translational process into discrete steps







Probing the environment at different stages of translocation






Probing the environment at different stages of translocation







Co-translational protein targeting, translocation, & insertion



Minimal set of factors for translocation All organisms contain SRP, SR, Sec61 Also used for many membrane proteins



Co-translational protein targeting, translocation, & insertion





What next?

pathways are still being discovered


mechanisms of translocation reaction

folding & assembly of membrane proteins

mechanisms of fidelity and quality control




Analysis of protein translocation in a cell-free reaction






Analysis of protein translocation in a cell-free reaction






Analysis of Prion protein (PrP) translocation in vitro







Analysis of Prion protein (PrP) translocation in vitro





Analysis of Prion protein (PrP) translocation in vitro







minor 'mislocalized' forms of PrP



Analysis of Prion protein (PrP) translocation in vitro







Central hydrophobic region
...NMKHMAGAAAAGAVVGGLGGYMLGSAMSR...



Analysis of Prion protein (PrP) translocation in vitro






Central hydrophobic region
...NMKHMAGAAAAGAVVGGLGGYMLGSAMSR...




Analysis of Prion protein (PrP) translocation in vitro





Transmembrane PrP causes neurodegeneration in mice






Mechanism of transmembrane PrP production








Mechanism of transmembrane PrP production




Kim et al. (2002) Dev. Cell Kim et al. (2002) MBoC




Mechanism of transmembrane PrP production



Kim et al. (2002) Dev. Cell Kim et al. (2002) MBoC




Mechanism of transmembrane PrP production



Kim et al. (2002) Dev. Cell Kim et al. (2002) MBoC




A less-than-perfect signal is beneficial during acute ER stress






Mislocalised PrP causes neurodegeneration






An important prediction of the results so far



These events can be avoided with a more efficient signal sequence



What did we learn from these experiments?




Errors during biosynthesis are pervasive, but 'invisible'

Subtle excess of errors can lead to disease over time

Not unique to prion protein




Does mislocalised protein degradation work in vitro?






Does mislocalised protein degradation work in vitro?






Tracking down a factor that recognises mislocalised proteins





Bag6 is a factor that recognises mislocalised proteins






Features of the Bag6 complex

- composed of three subunits
- function not understood
- recognises many unrelated mislocalised proteins


Hessa et al. (2011) Nature



Recognition events during protein targeting and insertion




Halic et al. (2004) Nature, 427:808 (Beckmann lab)




Gogala et al. (2014) Nature, 506:107 (Beckmann lab)








Benchmarking cryo-EM methods using native ER complexes







Benchmarking cryo-EM methods using native ER complexe	es




Benchmarking cryo-EM methods using native ER complexes






Benchmarking cryo-EM methods using native ER complexes






The initial results of our 'practice' sample






Signal recognition and shielding by SRP

fit based on earlier crystal structures (Clemons et al., 1999, JMB)




C1

Ribosome exit tunnel



Signal recognition and shielding by SRP



C1 and C2 helices form a 'lid' to fully shield the hydrophobic signal



Conformation changes that accompany signal engagement

