



References

- Ahlgren, I. (1973). Limnologiska studier av Sjön Norrvikan. 111. Avlastningens effekter. *Scripta Limnologica Upsaliencia*, No. 333.
- Alcamo, et al. (1990). *The Rains Model of Acidification* (p. 366). Dordrecht, The Netherlands: Kluwer and Laxenburg, Austria: IIASA.
- Allen, P. M. (1976). Evolution, population dynamics, and stability. *Proceedings of the National Academy of Sciences*, 73, 665–668.
- Allen, T. F. H., & Starr, T. B. (1982). *Hierarchy: Perspectives for Ecological Complexity* (p. 310). Chicago, USA: University of Chicago Press.
- Allesina, S., & Bondavalli, C. (2004). Wand: An ecological network analysis user-friendly tool. *Environmental Modelling and Software*, 19(4), 337–340.
- Andreasen, I. (1985). *A General Ecotoxicological Model for the Transport of Lead Through the System: Air-Soil(Water)-Grass-Cow-Milk*. Thesis at DIA-K (p. 57). Kongens Lyngby: Technical University of Denmark.
- Aoyama, I., Inoue, Y., & Inoue, Y. (1978). Simulation analysis of the concentration process of trace heavy metals by aquatic organisms from the viewpoint of nutrition ecology. *Water Research*, 12, 837–842.
- ApSimon, H., Goddard, A. J. H., & Wrigley, J. (1976). Estimating the possible transfrontier Consequences of accidental releases: the MESOS model for long range atmospheric dispersal. Seminar on radioactive releases and their dispersion in the atmosphere following a hypothetical reactor accident, Risø, Denmark, April 1980, CEC, Luxembourg pp. 819–842.
- Bartell, S. M., Gardner, R. H., & O'Neill, R. V. (1984). The fates of aromatics model. *Ecological Modelling*, 22, 109–123.
- Bartell, S. M., Gardner, R. H., & O'Neill, R. V. (1992). *Ecological Risk Estimation*. Boca Raton, Florida: Lewis Publishers.
- Beck, M. B. (1987). Water quality modeling: A review of the analysis of uncertainty. *Water Resources Research*, 23(8), 1393–1442.
- Benndorf, J. (1987). Food-web manipulation without nutrient control: A useful strategy in lake restoration? *Schweizerische Zeitschrift für Hydrologie*, 49, 237–248.
- Benndorf, J. (1990). Conditions for effective biomanipulation. Conclusions derived from whole-lake experiments in Europe. *Hydrobiologia*, 200/201, 187–203.
- Beyer, J. E. (1981). *Aquatic Ecosystem: An Operational Research Approach* (p. 315). Seattle and London: University of Washington Press.
- Bierman, V. J., Jr. (1976). Mathematical model of the selective enhancement of blue-green algae by nutrient enrichment. In R. P. Canale (Ed.), *Modelling Biochemical Processes in Aquatic Ecosystems* (pp. 1–31). Michigan: Ann Arbor Sciences Publishers.
- Bonner, J. T. (1965). *Size and Cycle. An Essay on the Structure of Biology* (p. 219). New Jersey: Princeton University Press.

- Bossel, H. (1992). Real structure process description as the basis of understanding ecosystems. In *Workshop Ecosystem Theory*, October, 14–17, 1991 (pp. 261–276). Kiel. *Special issue of Ecological Modelling* 63.
- Bossel, H. (1998). Ecological orientors: Emergence of basic orientors in evolutionary self-organization. In F. Müller & M. Leupelt (Eds.), *Eco Targets, Goal Functions, and Orientors* (pp. 19–33). New York: Springer.
- Bossel, H. (1999). *Indicators for sustainable development: Theory, method, applications*. Winnipeg: International Institute for Sustainable Development.
- Bosserman, R. W. (1980). Complexity measures for assessment of environmental impact in ecosystem networks. In *Proceedings of the Pittsburgh Conference on Modelling and Simulation*. Pittsburgh, Pennsylvania, April 20–23, 1980.
- Bosserman, R. W. (1982). Structural comparison for four lake ecosystem models. In L. Troncale (Ed.), *A General Survey of Systems Methodology, Proceedings of the Twenty-Sixth Annual Meeting of the Society for General Systems Research* (pp. 559–568). Washington, D.C., January 5–9, 1982.
- Botkin, D. B., Janak, J. F., & Wallis, J. R. (1972). Some ecological consequences of a computer model of forest growth. *Journal of Ecology*, 60, 849–873.
- Brandes, M., Chowdry, N. A., & Cheng, W. W. (1974). *Experimental Study on Removal of Pollutants from Domestic Sewage by Underdrained Soil Filters*. Chicago: National Home Sewage Disposal Symposium on Agricultural Engineering.
- Brandes, R. J. (1976). *An Aquatic Ecological Model for Texas Bays and Estuaries*. Austin, Texas: Water Resources Engineers, Inc. For the Texas Water Development Board.
- Breck, J. E., DeAngelis, D. L., Van Winkle, W., & Christensen, S. W. (1988). Potential importance of spatial and temporal heterogeneity in pH, Al, and Ca in allowing survival of a fish population: A model demonstration. *Ecological Modelling*, 41, 1–16.
- Caswell, H. (1976). Community structure: A neutral model analysis. *Ecological Monographs*, 46, 327–354.
- Chon, T. S., Jørgensen, S. E., & Cho, W. S. (2010). The role of conjugation in the gene-individual-population relationships in ecotoxicological systems under the constraints of toxin susceptibility and metabolic efficiency. in press.
- Christensen, T. H. (1981). *The Application of Sludge as Soil Conditioner* (vol. 3, pp. 19–47). Copenhagen: Polyteknisk Forlag.
- Christensen, T. H. (1984). Cadmium soil sorption at low concentrations, 1) Effect of time, cadmium load, pH, and calcium and 2) Reversibility, effect of changes in solute composition, and effect of soil ageing. *Water, Air and Soil Pollution*, 21, 105–125.
- Christensen, V. (1991). On ECOPATH, Fishbyte, and fisheries management. *Fishbyte*, 9(2), 62–66.
- Christensen, V., & Pauly, D. (1992). The ECOPATH II – a software for balancing steady-state ecosystem models and calculating network characteristics. *Ecological Modelling*, 61, 169–185.
- Christensen, V., & Pauly, D. (Eds.), (1993). *Trophic models of aquatic ecosystems*. ICLARM Conference Proceedings 26, Manila, Philippines.
- Chubin, R. G., & Street, J. J. (1981). Adsorption of cadmium on soil constituents in the presence of complexing agents. *Journal of Environmental Quality*, 10, 225–228.

- Costanza, R., & Sklar, F. H. (1985). Articulation, accuracy and effectiveness of mathematical models: A review of freshwater wetland applications. *Ecological Modelling*, 27, 45–69.
- Costanza, R., Sklar, F. H., & White, M. L. (1990). Modelling coastal landscape dynamics. *Bio-Science*, 40, 91–107.
- Cowan, C. E., Mackay, D., Feijtel, T. C. J., van de Meent, D., di Guardo, A., Davies, J., & Mackay, N. (Eds.), (1995). *The Multi-Media Fate Model: A vital tool for predicting the fate of chemicals*. Pensacola FL: SETAC Press.
- Cox, J. L. (1970). Accumulation of DDT residues in *Triphoturus mexicanus* from the Gulf of California. *Nature*, 227, 192–193.
- Dahl-Madsen, K. I., & Strange-Nielsen, K. (1974). Eutrophication models for ponds. *Vand*, 5, 24–31.
- Dame, R. F., & Patten, B. C. (1981). Analysis of energy flows in an intertidal oyster reef. *Mar, Ecol. Prog. Ser.* 5, 115–124.
- DeAngelis, D. L., Cox, D. K., & Coutant, C. C. (1980). Cannibalism and size dispersal in young-of-the-year largemouth bass: Experiment and model. *Ecological Modelling*, 8, 133–148.
- De Bernardi, R. (1989). Biomanipulation of aquatic food chains to improve water quality in eutrophic lakes 195-215. In O. Ravera (Eds.), *Ecological Assessment of Environmental Degradation, Pollution, and Recovery* (p. 356). Amsterdam: Elsevier Science Publications.
- De Bernardi, R., & Giussani, G. (1995). Biomanipulation: Bases for a Top-down Control 1-14. In R. De Bernardi, & G. Giussani (Eds.), *Guidelines of Lake Management, Volume 7, Biomanipulation in Lakes and Reservoirs* (p. 211). ILEC and UNEP.
- De Luna, J. T., & Hallam, T. G. (1987). Effect of toxicants on populations: A qualitative approach IV. Resource-consumer-toxicant models. *Ecological Modelling*, 35, 249–273.
- Devillers, J. (2009). *Ecotoxicological Modelling* (p. 399). New York: Springer-Verlag.
- Dillon, P. J., & Kirchner, W. B. (1975). The effects of geology and land use on the export of phosphorus from watersheds. *Water Research*, 9, 135–148.
- Dillon, P. J., & Rigler, F. H. (1974). A test of a simple nutrient budget model predicting the phosphorus concentration in lake water. *Journal of the Fisheries Research Board of Canada*, 31, 1771–1778.
- Dur, G., Souissia, S., Devreker, D., Ginot, V., Schmitta, F. G., & Hwang, J. S. (2009). An individual-based model to study the reproduction of egg bearing copepods: Application to *Eurytemora affinis* (Copepoda Calanoida) from the Seine estuary, France. *Ecological Modelling*, 220, 1073–1089.
- EPA Denmark. (1979). *The Lead Contamination in Denmark* (p. 145). Copenhagen.
- Fagerström, T., & Aasell, B. (1973). Methyl mercury accumulation in an aquatic food chain. A model and implications for research planning. *Ambio*, 2, 164–171.
- Fath, B. D. (2004). Network analysis applied to large-scale cyber-ecosystems. *Ecological Modelling*, 171, 329–337.
- Fath, B. D., & Borrett, S. R. (2006). A Matlab® function for network environ analysis. *Environmental Modelling and Software*, 21, 375–405.
- Fath, B. D., & Halmes, G. (2007). Cyclic energy pathways in ecological food webs. *Ecological Modelling*, 208, 17–24.

- Fath, B. D., & Patten, B. C. (1999). Review of the foundations of network environ analysis. *Ecosystems*, 2, 167–179.
- Fath, B. D., Patten, B. C., & Choi, J. S. (2001). Complementarity of ecological goal functions. *Journal of Theoretical Biology*, 208, 493–506.
- Felmy, A. R., Brown, S. M., Onoshi, Y., Yabusaki, S. B., Argo, R. S., Girvin, D. C., et al. (1984). *Modelling the Transport, Speciation, and Fate of Heavy Metals, Aquatic Systems* (p. 4). Project Summary, EPA-600/S3-84-033, April 1984. Athens, Georgia: US EPA, Environmental Research Laboratory. (EPA Project Officer: R.B. Ambrose).
- Fenchel, T. (1974). Intrinsic rate of natural increase: The relationship with body size. *Oecologia*, 14, 317–326.
- Findeisen, W., Lastebro, A., Lande, R., Lindsay, J., Pearson, M., & Quade, E. S. (1978). *A sample glossary of systems analysis*. Working Paper WP-78-12 Laxenburg, Austria: International Institute for Applied Systems Analysis.
- Flather, C. H. (1992). *Pattern of Avian Species-Accumulation Rates Among Eastern Forested Landscapes*. Ph.D dissertation. Fort Collins, Colorado: Colorado State University.
- Flather, C. H. (1996). Fitting species-accumulation functions and assessing regional land use impacts on avian diversity. *Journal of Biogeography*, 23, 155–168.
- Fomsgaard, I. (1997). Modelling the mineralisation kinetics for low concentrations of pesticides in surface and subsurface soil. *Ecological Modelling*, 102, 175–208.
- Fomsgaard, I., & Kristensen, K. (1999). Influence of microbial activity, organic carbon content, soil texture, and soil depth on mineralisation rates of low concentrations of 14-C mecoprop — Development of a predictive model. *Ecological Modelling*, 122, 45–68.
- Fontaine, T. D. (1981). A self-designing model for testing hypotheses of ecosystem development. In D. Dubois (Ed.), *Progress in Ecological Engineering and Management by Mathematical Modelling* (pp. 281–291). Proc. 2nd Int. Conf. State-of-the-Art Ecological Modelling, 18–24 April 18–24, 1980. Liege, Belgium.
- Forrester, J. W. (1961). *Industrial Dynamics*. Cambridge, MA: MIT Press.
- France, J., & Thornley, J. H. M. (1984). *Mathematical Models in Agriculture* (p. 333). Burlington, MA: Butterworths.
- Gard, T. C. (1990). A stochastic model for the effect of toxicants on populations. *Ecological Modelling*, 51, 273–280.
- Gause, G. F. (1934). *The Struggle of Existence* (p. 133). New York: Hafner.
- Giglioli, G., & Pasquali, S. (2007). Use of individual-based models for population parameters estimation. *Ecological Modelling*, 200, 109–118.
- Gillett, J. W., et al. (1974). *A conceptual model for the movement of pesticides through the environment* (p. 79). Corvallis, OR: National Environmental Research Center, U.S. Environmental Protection Agency, OR Report EPA 600/3-74-024.
- Giussani, G., & Galanti, G. (1995). Case Study: Lake Candia (Northern Italy) 135-146. In R. De Bernardi & G. Giussani (Eds.), *Guidelines of Lake Management, Volume 7. Biomnipulation in Lakes and Reservoirs* (p. 211). Shiga, Japan: ILEC and UNEP.
- Grant, P. R. (1986). *Ecology and Evolution of Darwin's Finches* (p. 492). Reprinted in 1999. New Jersey: Princeton University Press.

- Grimm, V. (2008). Individual Based Models. In S. E. Jorgensen & B. Fath (Eds.), *Encyclopedia of Ecology* (Vol. 1, pp. 1959–1968). Amsterdam: Elsevier.
- Grimm, V., et al. (2006). A standard protocol for describing individual-based and agent-based models. *Ecological Modelling*, 198, 115–126.
- Grimm, V., Frank, K., Jeltsch, F., Brandl, R., Uchmanski, J., & Wissel, C. (1996). Pattern-oriented modelling in population ecology. *The Science of the Total Environment*, 183, 151–166.
- Grimm, V., & Railsback, S. F. (2005). *Individual Based Modelling and Ecology* (p. 482). Princeton, New Jersey: Princeton University Press.
- Gromiec, M. J., & Gloyna, E. F. (1973). *Radioactivity transport in water*. Final Report No. 22 to U.S. Atomic Energy Commission, Contract AT (11-1)-490.
- Gryning, S. E., & Batchvarova, E. (2000). *Air Pollution Modelling and its Applications XIII. Kluwer Proceedings from a conference held in Varna, Bulgaria, 1998* (p. 810). Dordrecht, the Netherlands: Academic.
- Halfon, E. (1983). Is there a best model structure? II. Comparing the model structures or different fate models. *Ecological Modelling*, 20, 153–163.
- Halfon, E. (1984). Error analysis and simulation of Mirex behavior in Lake Ontario. *Ecological Modelling*, 22, 213–253.
- Halfon, E. (1986). Modelling the fate of Mirex and Lindane in Lake Ontario, off the Niagara River Mouth. *Ecological Modelling*, 33, 13.
- Halfon, E., Unbehauen, H., & Schmid, C. (1979). Model order estimation and system identification Theory to the modelling of 32P kinetics within the trophogenic zone of a small lake. *Ecological Modelling*, 6, 1–22.
- Hannon, B. (1973). The structure of ecosystems. *Journal of Theoretical Biology*, 41, 535–546.
- Hansen, J. A., & Tjell, J. C. (1981). *The Application of Sludge as Soil Conditioner* (Vol. 2, pp. 137–181). Copenhagen: Polyteknisk Forlag.
- Hanski, I. (1994). Metapopulation dynamics in fragmented landscapes. *Trends in Ecology and Evolution*, 9, 131–195.
- Hanski, I. (1999). *Metapopulation in Ecology* (p. 422). Cambridge, UK: Oxford University Press.
- Harris, J. R. W., Bale, A. J., Bayne, B. L., Mantoura, R. C. F., Morris, A. W., Nelson, L. A., et al. (1984). A preliminary model of the dispersal and biological effect of toxins in the Tamar estuary, England. *Ecological Modelling*, 22, 253–285.
- Hatten, J. R., & Parsley, M. J. (2009). A spatial model of white sturgeon rearing habitat in the lower Columbia River, USA. *Ecological Modelling*, 220, 3638–3646.
- Havens, K. E. (1999). Structural and functional responses of a freshwater community to acute copper stress. *Environmental Pollution*, 86, 259–266.
- Herendeen, R. A. (1981). Energy intensity in ecological and economic systems. *Journal of Theoretical Biology*, 91, 607–620.
- Higashi, M., Patten, B. C., & Burns, T. P. (1993). Network trophic dynamics: The modes of energy utilization in ecosystems. *Ecological Modelling*, 66, 1–42.
- Hilker, F. M., Hinsch, M., & Poethke, H. J. (2006). Parameterizing, evaluating, and comparing metapopulation models with data from individual-based simulations. *Ecological Modelling*, 199, 476–485.

- Hippe, P. W. (1983). Environ analysis of linear compartmental systems: The dynamic, time-invariant case. *Ecological Modelling*, 19, 1–26.
- Holling, C. S. (1959). Some characteristics of simple types of predation and parasitism. *Canadian Entomologist*, 91, 385–398.
- Holling, C. S. (1966). The functional response of invertebrate predators to prey density. *Memoirs of the Entomological Society of Canada*, 48, 1–87.
- Hosper, S. H. (1989). Biomanipulation, new perspective for restoring shallow, eutrophic lakes in The Netherlands. *Hydrobiological Bulletin*, 73, 11–18.
- Huston, M., DeAngelis, D. L., & Post, W. M. (1988). New computer models unify ecological theory. *BioScience*, 38, 682–691.
- Hutchinson, G. E. (1970). The biosphere. *Scientific American*, 223(3), 44–53.
- Hutchinson, G. E. (1978). *An Introduction to Population Ecology*. New Haven: Yale University Press.
- Jeffers, N. R. J. (1978). *An Introduction to Systems Analysis with Ecological Applications*. London, England: E. Arnold Publishers.
- Jensen, K., & Tjell, J. C. (1981). *The Application of Sludge as Soil Conditioner* (Vol. 3, pp. 121–147). Copenhagen: Polyteknisk Forlag.
- Jeppesen, E. J., et al. (1990). Fish manipulation as a lake restoration tool in shallow, eutrophic temperate lakes. Cross-analysis of three Danish Case Studies. *Hydrobiologia*, 200/201, 205–218.
- Jørgensen, S. E. (1976a). A eutrophication model for a lake. *Journal of Ecological Modelling*, 2, 147–165.
- Jørgensen, S. E. (1976b). An ecological model for heavy metal contamination of crops and ground water. *Ecological Modelling*, 2, 59–67.
- Jørgensen, S. E. (1979). Modelling the distribution and effect of heavy metals in an aquatic ecosystem. *Ecological Modelling*, 6, 199–222.
- Jørgensen, S. E. (1981). Application of exergy in ecological models. In D. Dubois (Ed.), *Progress in Ecological Modelling* (pp. 39–47). Liege: Cebedoc.
- Jørgensen, S. E. (1982). A holistic approach to ecological modelling by application of thermodynamics. In W. Mitsch, et al. (Eds.), *Systems and Energy*. Ann Arbor, Michigan: Ann Arbor Press.
- Jørgensen, S. E. (1986). Structural dynamic model. *Ecological Modelling*, 31, 1–9.
- Jørgensen, S. E. (1988). Use of models as experimental tools to show that structural changes are accompanied by increased exergy. *Ecological Modelling*, 41, 117–126.
- Jørgensen, S. E. (1990). Ecosystem theory, ecological buffer capacity, uncertainty, and complexity. *Ecological Modelling*, 52, 125–133.
- Jørgensen, S. E. (Ed.), (1991). *A model for the distribution of chromium in Abukir Bay. Modelling in Environmental Chemistry* (Vol. 17). Amsterdam: Elsevier.
- Jørgensen, S. E., Nors Nielsen, S., & Jørgensen, L. A. (1991). Handbook of Ecological Parameters and Ecotoxicology. Amsterdam: Elsevier, Published as CD under the name ECO-TOX, with L.A. Jørgensen as first editor in 2000.
- Jørgensen, S. E. (1992a). Parameters, ecological constraints and exergy. *Ecological Modelling*, 62, 163–170.
- Jørgensen, S. E. (1992b). Development of models able to account for changes in species composition. *Ecological Modelling*, 62, 195–208.

- Jørgensen, S. E. (1997). *Integration of Ecosystem Theories: A Pattern*. (2nd revised ed., p. 388). Dordrecht, The Netherlands: Kluwer Academic Publishers.
- Jørgensen, S. E. (2000). *Pollution Abatement* (p. 488). Amsterdam: Elsevier.
- Jørgensen, L. A., Jørgensen, S. E., & Nielsen, S. N. (2000). Ecotox. CD.
- Jørgensen, S. E. (2002). *Integration of Ecosystem Theories: A Pattern*. (3rd ed., p. 428). The Netherlands, Dordrecht: Kluwer Academic Publishers.
- Jørgensen, S. E. (2008a). *Evolutionary Essays* (p. 230). Amsterdam: Elsevier.
- Jørgensen, S. E. (2008b). An overview of the model types available for development of ecological models. *Ecological Modelling*, 215, 3–9.
- Jørgensen, S. E. (2009). The application of structurally dynamic models in ecology and ecotoxicology. In J. Devillers (Ed.), *Ecotoxicological Modelling* (pp. 377–394). New York: Springer-Verlag.
- Jørgensen, S. E., & Bendoricchio, G. (2001). *Fundamentals of Ecological Modelling*. (3rd ed., p. 628). Amsterdam: Elsevier.
- Jørgensen, S. E., & Fath, B. D. (2004). Application of thermodynamic principles in ecology. *Ecological Complexity*, 1(4), 267–280.
- Jørgensen, S. E., Chon, T., & Recknagel, F. (2009). *Handbook of Ecological Modelling and Informatics* (p. 432). Southampton: WIT Press.
- Jørgensen, S. E., Costanza, R., & Xu, F. (2005, 2010). *Handbook of Ecological Indicators for Assessment of Ecosystem Health*. (2nd ed., p. 439). Boca Raton, Florida: CRC Press.
- Jørgensen, S. E., & De Bernardi, R. (1998). The use of structural dynamic models to explain the success and failure of biomanipulation. *Hydrobiologia*, 379, 147–158.
- Jørgensen, S. E., & Fath, B. D. (2004). Modelling the selective adaptation of Darwin's finches. *Ecological Modelling*, 176, 409–418.
- Jørgensen, S. E., Fath, B., Bastiononi, S., Marques, M., Müller, F., Nielsen, S. N., et al. (2007). *A New Ecology. Systems Perspectives* (p. 288). Amsterdam: Elsevier.
- Jørgensen, S. E., Halling-Sørensen, B., & Mahler, H. (1997). *Handbook of Estimation Methods in Ecotoxicology and Environmental Chemistry* (p. 230). Boca Raton, Florida: Lewis Publishers.
- Jørgensen, S. E., Halling-Sørensen, B., & Nielsen, S. N. (1995). *Handbook of Environmental and Ecological Modelling* (p. 672). Boca Raton, Florida: CRC Lewis Publishers.
- Jørgensen, S. E., Jacobsen, O. S., & Hoi, I. (1973). A prognosis for a lake. *Vatten*, 29, 382–404.
- Jørgensen, S. E., Jørgensen, L. A., Kamp Nielsen, L., & Mejer, H. F. (1981). Parameter estimation in eutrophication modelling. *Ecological Modelling*, 13, 111–129.
- Jørgensen, S. E., Kamp-Nielsen, L., & Jacobsen, O. S. (1975). A submodel for anaerobic mud-water exchange of phosphate. *Ecological Modelling*, 1, 133–146.
- Jørgensen, S. E., Kamp-Nielsen, L., Jørgensen, L. A., & Mejer, H. (1982). An environmental management model of the Upper Nile lake system. *ISEM Journal*, 4, 5–72.
- Jørgensen, S. E., Ladegaard, N., Debeljak, M., & Marques, J. C. (2005). Calculations of exergy for organisms. *Ecological Modelling*, 185, 165–175.
- Jørgensen, S. E., Löffler, H., Rast, W., & Straskraba, M. (2004). *Lake and Reservoir Management* (p. 503). Amsterdam: Elsevier.
- Jørgensen, S. E., Lützhøft, H. C., & Halling-Sørensen, B. (1998). Development of a model for environmental risk assessment of growth promoters. *Ecological Modelling*, 107, 63–72.

- Jørgensen, S. E., & Mejer, H. F. (1977). Ecological buffer capacity. *Ecological Modelling*, 3, 39–61.
- Jørgensen, S. E., & Mejer, H. F. (1979). A holistic approach to ecological modelling. *Ecological Modelling*, 7, 169–189.
- Jørgensen, S. E., Mejer, H. F., & Friis, M. (1978). Examination of a lake. *Journal of Ecological Modelling*, 4, 253–279.
- Jørgensen, S. E., Nielsen, S. N., & Mejer, H. F. (1995). Emergy, environ, exergy, and ecological modelling. *Ecological Modelling*, 77, 99–109.
- Jørgensen, S. E., Nors Nielsen, S., & Jørgensen, L. A. (1991). *Handbook of Ecological Parameters and Ecotoxicology*. Amsterdam: Elsevier, Published as CD under the name ECOTOX, with L.A. Jørgensen as first editor in 2000.
- Jørgensen, S. E., Patten, B. C., & Straskraba, M. (2000). Ecosystem emerging: 4. Growth. *Ecological Modelling*, 126, 249–284.
- Jørgensen, S. E., & Svirezhev, Y. (2004). *Toward a Thermodynamic Theory for Ecological Systems* (p. 366). Amsterdam: Elsevier.
- Kallqvist, T., & Meadows, B. S. (1978). The toxic effects of copper on algae and rotifers from a soda lake. *Water Research*, 12, 771–775.
- Kamp-Nielsen, L. (1975). A kinetic approach to the aerobic sediment-water exchange of phosphorous in Lake Esrom. *Ecological Modelling*, 1, 153–160.
- Kauppi, P., Kämäri, J., Posch, M., Kauppi, L., & Matzner, E. (1986). Acidification of forest soils: model development and application for analysing impacts of acidic deposition in Europe. *Ecological Modelling*, 33, 231–253.
- Kazancı, C. (2007). EcoNet: A new software for ecological modelling, simulation, and network analysis. *Ecological Modelling*, 208, 1, 3–8.
- Kirchner, T. B., & Whicker, F. W. (1984). Validation of PATHWAY, a simulation model of the Transport of radionuclides through agroecosystems. *Ecological Modelling*, 22, 21–45.
- Knudsen, G., & Kristensen, L. (1987). *Development of a Model for Cadmium Uptake by Plants*. Master's thesis at University of Copenhagen.
- Koestler, A. (1967). *The Ghost in the Machine*. New York: Macmillan.
- Kohlmaier, G. H., Sire, E. O., Brohl, H., Kilian, W., Fishbach, U., Plochl, M., et al. (1984). Dramatic development in the dying of German spruce-fir forests: In search of possible cause effect relationships. *Ecological Modelling*, 22, 45–65.
- Kooijman, S. A. L. M. (2000). *Dynamic Energy and Mass Budget in Biological Systems*. (2nd ed., p. 424). Cambridge: Cambridge University Press, UK.
- Koschel, R., Kasprzak, P., Krienitz, L., & Ronneberger, D. (1993). Long term effects of reduced nutrient loading and food-web manipulation on plankton in a stratified Baltic hard water lake. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie*, 25, 647–651.
- Kristensen, P., Jensen, P., & Jeppesen, E. (1990). *Eutrophication Models for Lakes* (p. 120). Research Report C9. Copenhagen: DEPA.
- Lam, D. C. L., & Simons, T. J. (1976). Computer model for toxicant spills in Lake Ontario. In J. O. Nriago (Ed.), *Metals Transfer and Ecological Mass Balances, Environmental Biochemistry* (vol.2, pp. 537–549). Ann Arbor, Michigan: Ann Arbor Science.
- Lammens, E. H. R. R. (1988). Trophic interactions in the hypertrophic Lake Tjeukemeer: Top-down and bottom-up effects in relation to hydrology, predation, and bioturbation, during the period 1974-1988. *Limnologica (Berlin)*, 19, 81–85.

- Lassiter, R. R. (1978). *Principles and constraints for predicting exposure to environmental pollutants*. Corvallis: U.S. Environmental Protection Agency, OR Report EPA 118-127519.
- Legovic, T. (1997). Toxicity may affect predictability of eutrophication models in coastal sea. *Ecological Modelling*, 99, 1–6.
- Lehman, J. T., Botkin, D. B., & Likens, K. E. (1975). The assumptions and rationales of a computer model of phytoplankton population dynamics. *Limnology and Oceanography*, 20, 343–364.
- Leontief, W. W. (1951). *The Structure of American Economy, 1919–1939: An Empirical Application of Equilibrium Analysis*. New York: Oxford University Press.
- Leslie, P. H. (1945). On the use of matrices in certain population mathematics. *Biometrika*, 33, 183–212.
- Leung, D. K. (1978). *Modelling the bioaccumulation of pesticides in fish*. Troy, NY: Center for Ecological Modelling, Polytechnic Institute, Report 5.
- Levine, S. (1980). Several measures of trophic structure applicable to complex food webs. *Journal of Theoretical Biology*, 83, 195–207.
- Levins, R. (1969). Some demographic and genetic consequences of environmental heterogeneity for biological control. *Bulletin of the Entomological Society of America*, 15, 237–240.
- Lewis, E. G. (1942). On the generation and growth of a population. *Sankhya*, 6, 93–96.
- Liebig, J. (1840). *Chemistry in its Application to Agriculture and Physiology*. London: Taylor and Walton.
- Likens, G. E. (Ed.), (1985). *An Ecosystem Approach to Aquatic Ecology: Mirror Lake and Its Environment* (p. 516). New York: Springer-Verlag.
- Lindeman, R. L. (1942). The trophic dynamic aspect of ecology. *Ecology*, 23, 399–418.
- Liu, J., & Ashton, P. S. (1995). Individual-based simulation models for forest succession and management. *Forest Ecology and Management*, 73, 157–175.
- Lombardo, P. S. (1972). *Mathematical Model of Water Quality in Rivers and Impoundments*. Palo Alto, California: Hydrocomp. Inc.
- Longstaff, B. C. (1988). Temperature manipulation and the management of insecticide resistance in stored grain pests. A simulation study for the rice weevil, *Sitophilus oryzae*. *Ecological Modelling*, 43, 303–313.
- Lotka, A. J. (1956). *Elements of Mathematical Biology* (p. 465). New York: Dover.
- Mackay, D. (1991). *Multimedia Environmental Models* (p. 257). *The Fugacity Approach*. Boca Raton, Florida: Lewis Publishers.
- Mackay, D., Shiu, W. Y., & Ma, K. C. (1991, 1992). *Illustrated Handbook of Physical-Chemical Properties and Environmental Fate for Organic Chemicals* (vol. I). Mono-aromatic Hydrocarbons. Chloro-benzenes and PCBs. 1991, Volume II. Polynuclear Aromatic Hydrocarbons, Polychlorinated Dioxines, and Dibenzofurans, 1992, and Volume III. Volatile Organic Chemicals. 1992. New York: Lewis Publishers.
- Margalef, R. (1968). *Perspectives in Ecological Theory* (p. 122). Chicago, IL: University of Chicago Press.
- Margalef, R. (1969). Diversity and stability: A practical proposal and a model for interdependence. In G. M. Woodwell & H. H. Smith (Eds.), *Diversity and Stability in Ecological Systems. Brookhaven Symposia in Biology, No. 22* (pp 25–38). Upton, NY: Brookhaven National Laboratory.

- Margalef, R. (1991). Networks in ecology. In M. Higgashi & T. P. Burns (Eds.), *Theoretical Studies of Ecosystems: The Network Perspective* (pp. 41–57). Cambridge: Cambridge University Press, UK.
- Margalef, R. A. (1995). Information theory and complex ecology. In B. C. Patten & S. E. Jørgensen (Eds.), *Complex Ecology* (pp. 40–50). New Jersey: Prentice Hall PTR.
- Matthies, M., Behrendt, H., & Münzer, B. (1987). *EXSOL Modell für den Transport und Verbleib von Stoffen im Boden*. GSF-Bericht 23/87 Neuherberg.
- Mauersberger, P. (1983). General principles in deterministic water quality modelling. In G. T. Orlob (Ed.), *Mathematical Modelling of Water Quality: Streams, Lakes and Reservoirs* (pp. 42–115). *International Series on Applied System Analysis*, 12. New York: Wiley.
- Mauersberger, P. (1985). Optimal control of biological processes in aquatic ecosystem. *Gerlands Beitr. Geophysik.*, 94, 141–147.
- May, R. M. (1974). Ecosystem patterns in randomly fluctuating environments. *Progress in Theoretical Biology*, 3, 1–50.
- May, R. M. (1975). Patterns of species abundance and diversity. In M. L. Cody & J. M. Diamond (Eds.), *Ecology and Evolution of Communities* (pp. 81–120). Cambridge, MA: Harvard University Press.
- May, R. M. (1977). *Stability and Complexity in Model Ecosystems* (3rd ed.). New Jersey: Princeton University Press.
- McMahon, T. A., Denison, D. J., & Fleming, R. (1976). A long distance transportation model incorporating washout and dry deposition components. *Atmospheric Environment*, 10, 751–760.
- Miller, D. R. (1979). Models for total transpon. In G. C. Butler (Ed.), *Principles of Ecotoxicology SCOPE* (Vol. 12, pp. 71–90). New York: Wiley.
- Miller, J. G. (1978). *Living Systems* (p. 102). New York: McGraw-Hill.
- Milne, G. W. A. (1994). *CRC Handbook of Pesticides*. Boca Raton, FL: CRC Press.
- Mogensen, B. (1978). *Chromium pollution in a Danish fjord*. Licentiate Thesis. Copenhagen: Royal Danish School of Pharmacy.
- Mogensen, B., & Jørgensen, S. E. (1979). Modelling the distribution of chromium in a Danish firth. In S. E. Jørgensen (Ed.), *Proceedings of 1st International Conference on State of the An in Ecological Modelling* (pp. 367–377). Copenhagen, 1978. Copenhagen: International Society for Ecological Modelling.
- Monod, J. (1971). *Chance and Necessity: An Essay on the Natural Philosophy of Modern Biology*. New York: Alfred A. Knopf.
- Monte, L. (1998). Prediction the migration of dissolved toxic substances from catchments by a collective model. *Ecological Modelling*, 110, 269–280.
- Morgan, M. G. (1984). Uncertainty and quantitative assessment in risk management. In J. V. Rodricks & R. G. Tardiff (Eds.), *Assessment and Management of Chemical Risks*. Chapter 8. ACS Symposium Series 239. Washington, D.C.: American Chemical Society.
- Morioka, T., & Chikami, S. (1986). Basin-wide ecological fate model for management of chemical hazard. *Ecological Modelling*, 31, 267.
- Morowitz, H. J. (1968). *Energy flow in biology. Biological Organisation as a Problem in Thermal Physics* (p. 179). New York: Academic Press. See review by H. T. Odum, *Science*, 164, 683–684, 1969.

- Moustakas, A., Sakkos, K., Wiegand, K., Ward, D., Meyer, K. M., & Eisingerd, D. (2009). Are savannas patch-dynamic systems? A landscape model. *Ecological Modelling*, 220, 3576–3588.
- Müller, F., Schrautzer, J., Reiche, E. W., & Rinker, A. (2006). Ecosystem based indicators in retrogressive successions of an agricultural landscape. *Ecological Indicators*, 6, 63–82.
- Nagra synpunkter angående limnoplanktons ekologi med sarskild hansyn till fytoplankton. *Svensk Botanisk Tidskrift* 13, 129–163.
- Naumann, E. (1919). Nagra synpunkter angående limnoplanktons ekologi med sarskild hansyn till fytoplankton. *Svensk Botanisk Tidskrift*, 13, 129–163.
- Nielsen, S. N. (1992a). *Application of Maximum Exergy in Structural Dynamic Models* (p. 51). Ph.D. Thesis. Denmark: National Environmental Research Institute.
- Nielsen, S.N (1992b). Strategies for structural-dynamical modelling. *Ecological Modelling*, 63, 91–101.
- Nihoul, J. C. J. (1984). A non-linear mathematical model for the transport and spreading of oil slicks. *Ecological Modelling*, 22, 325–341.
- Nyholm, N., Nielsen, T. K., & Pedersen, K. (1984). Modelling heavy metals transpon in an arctic fjord system polluted from mine tailings. *Ecological Modelling*, 22, 285–324.
- O'Connor, D. J., Mancini, J. L., & Guerriero, J. R. (1981). *Evaluation of Factors Influencing the Temporal Variation of Dissolved Oxygen in the New York Bight. PHASE II*. Bronx. New York: Manhattan College.
- Odling-Smee, E. J., Laland, K. N., & Feldman, M. W. (2003). *Niche Construction: The Neglected Process in Evolution* (p. 468). Princeton, New Jersey: Princeton University Press.
- Odum, E. P. (1953). *Fundamentals of Ecology*. Philadelphia, PA: W.B. Saunders.
- Odum, H. T. (1956). Primary production in flowing waters. *Limnology and Oceanography*, 1, 102–117.
- Odum, H. T. (1957). Trophic structure and productivity of Silver Springs. *Ecological Monographs*, 27, 55–112.
- Odum, E. P. (1959). *Fundamentals of Ecology* (2nd ed). Philadelphia, PA: W.B. Saunders.
- Odum, E. P. (1969). The strategy of ecosystem development. *Science*, 164, 262–270.
- Odum, E. P. (1971). *Fundamentals of Ecology* (3rd ed). Philadelphia, PA: W.B. Saunders Co.
- Odum, H. T. (1983). *System Ecology* (p. 510). New York: Wiley Interscience.
- Odum, H. T., & Odum, E. C. (2000). *Modelling for all Scales* (p. 456). San Diego: Academic Press, and CD.
- O'Neill, R. V. (1976). Ecosystem persistence and heterotrophic regulation. *Ecology*, 57, 1244–1253.
- O'Neill, R. V., Hanes, W. E., Ausmus, B. S., & Reichle, D. E. (1975). A theoretical basis for ecosystem analysis with particular reference to element cycling. In F. G. Howell, J. B. Gentry & M. H. Smith (Eds.), *Mineral Cycling in Southeastern Ecosystems* (pp. 28–40). NTIS pub. CONF-740513.
- Onishi, Y., & Wise, S. E. (1982). *Mathematical model, SERA TRA, for sediment-contaminant transpon in rivers and its application to pesticide transpon in Four Mile and Wolf Creeks in Iowa* (p. 56). EPA-60013-82-045, Athens, Georgia.

- Orlob, G. T., Hrovat, D., & Harrison, F. (1980). Mathematical model for simulation of the fate of copper in a marine environment. American Chemical Society. *Advances in Chemistry Series*, 189, 195–212.
- Parrott, L. (2008). Adaptive Agents. In S. E. Jørgensen & B. Fath (Eds.), *Encyclopedia of Ecology* (vol.1, pp. 47–51). Amsterdam: Elsevier.
- Patten, B. C. (1971–1976). *Systems Analysis and Simulation in Ecology* (vols. 1–4). New York: Academic Press.
- Patten, B. C. (1978a). Systems approach to the concept of environment. *Ohio Journal of Science*, 78, 206–222.
- Patten, B. C. (1978b). Energy environments in ecosystems. In R. A. Fazzolare & C. B. Smith (Eds.), *Energy Use Management* (vol. IV). New York: Pergamon Press.
- Patten, B. C. (1981). Environs: The superniches of ecosystems. *American Zoologist*, 21, 845–852.
- Patten, B. C. (1982a). Environs: relativistic elementary particles or ecology. *American Naturalist*, 119, 179–219.
- Patten, B. C. (1982b). Indirect causality in ecosystem: its significance for environmental protection. In W. T. Mason & S. Iker, (Eds.), *Research on Fish and Wildlife Habitat, Commemorative monograph honoring the first decade of the US Environmental Protection Agency*. EPA-@18-82-022. Washington, D.C: Office of Research and Development, US Environmental Protection Agency.
- Patten, B. C. (1985). Energy cycling in ecosystems. *Ecological Modelling*, 28, 7–71.
- Peters, R. H. (1983). *The Ecological Implications of Body Size* (p. 329). Cambridge, UK: Cambridge University Press.
- Pielou, E. C. (1966). Species-diversity and pattern diversity in the study of ecological succession. *Journal of Theoretical Biology*, 10, 370–383.
- Pielou, E. C. (1977). *An Introduction to Mathematical Ecology* (p. 385). New York: Wiley-Interscience.
- Prahn, L. P., & Christensen, O. J. (1976). Long-range transmission of sulphur pollutants computed by the pseudo-spectral model. Danish Meteorological Institute, Air Pollution Section, Lyngbyvej, DK-2100 Copenhagen. In: *Prepared for the ECE Task Force for the preparation of a Co-operative Programme for the Monitoring and Evaluation of the Long-range Transmission of Air Pollutants in Europe, October 1976, Lillestrom, Norway*.
- Prigogine, I. (1947). *Etude Thermodynamique des Processus Irreversibles*. Liege: Desoer.
- Quinlin, A. V. (1975). *Design and Analysis of Mass Conservative Models of Ecodynamic Systems*. Ph.D. Dissertation. Cambridge, MA: MIT Press.
- Rammig, A., & Fahse, L. (2009). Simulating forest succession after blowdown events: The crucial role of space for a realistic management. *Ecological Modelling*, 220, 3555–3564.
- Rammig, A., Fahse, L., Bugmann, H., & Bebi, P. (2006). Forest regeneration after disturbance: A modelling study for the Swiss Alps. *Forest Ecology and Management*, 222, 123–136.
- Sas, H. (Coordination) (1989). Lake restoration by reduction of nutrient loading. Expectations, experiences, extrapolations. *St. Augustine Academia Verl. Richarz.*, 497.
- Scavia, D. (1980). An ecological model of Lake Ontario. *Ecological Modelling*, 8, 49–78.

- Schaalje, G. B., Stinner, R. L., & Johnson, D.L. (1989). Modelling insect populations affected by pesticides with application to pesticide efficacy trials. *Ecological Modelling*, 47, 223.
- Scheffer, M. (1990). *Simple Models as Useful Tools For Ecologists* (p. 192). Amsterdam: Elsevier.
- Schoffeniels, E. (1976). *Anti-Chance*. New York: Pergamon Press.
- Schrödinger, E. (1944). *What is Life?* (p. 186). Cambridge, UK: Cambridge University Press.
- Scotti, M., & Bondavalli, C. R. (2011). *ENA: A free package for Ecosystem Network Analysis in R. Environmental Modelling and Software*.
- Secor, D. H., & Houde, E. D. (1995). Temperature effects on the timing of striped bass egg production, larval viability, and recruitment potential in the Patuxent River (Chesapeake Bay). *Estuaries and Coasts*, 18, 527–544.
- Seip, K. L. (1978). Mathematical model for uptake of heavy metals in benthic algae. *Ecological Modelling*, 6, 183–198.
- Shapiro, J. (1990). Biomanipulation. The next phase-making it stable. *Hydrobiologia*, 200/210, 13–27.
- Shevtsov, J., Kazanci, C., & Patten, B. C. (2009). Dynamic environ analysis of compartmental systems: A computational approach. *Ecological Modelling*, 220, 3219–3224.
- Shugart, H. H. (1984). *A Theory of Forest Dynamics: The Ecological Implications of Forest Succession Models*. New York: Springer.
- Sklar, F. H., Costanza, R., & Day, J. W. (1985). Dynamic spatial simulation modelling of coastal wetland habitat succession. *Ecological Modelling*, 29, 261–281.
- Slovic, P., Fischhoff, B., & Lichtenstein, S. (1982). Facts and fears: Understanding perceived risk. In R. C. Schwing & W. A. Albers, Jr. (Eds.), *Societal Risk Assessment: How Safe is Safe Enough?* New York: Plenum Press.
- Snape, J. B., Dunn, I. J., Ingham, J., & Presnosil, J. E. (1995). *Dynamics of Environmental Bioprocesses* (p. 492). Weinheim, New York: VCH.
- Sommer, U. (1989). Toward a Darwinian ecology of plankton. In U. Sommer (Ed.), *Plankton Ecology: Succession in Plankton Communities*. Berlin: Springer-Verlag.
- Starfield, A. M., & Bleloch, A. L. (1986). *Building Models for Conservation and Wildlife Management* (p. 324). New York: Macmillan Publishing Company.
- Steele, J. H. (1974). *The Structure of the Marine Ecosystems* (p. 128). Oxford: Blackwell Scientific Publications.
- Stenseth, N. C. (1986). Darwinian evolution in ecosystems: a survey of some ideas and difficulties together with some possible solutions. In J. L. Casti & A. Karlqvist (Eds.), *Complexity, Language, and Life: Mathematical Approaches* (pp. 105–129). Berlin: Springer-Verlag.
- Stonier, T. (1990). *Information and the Internal Structure of the Universe* (p. 260). Berlin: Springer Verlag.
- Straskraba, M. (1979). Natural control mechanisms in models of aquatic ecosystems. *Ecological Modelling*, 6, 305–322.
- Straskraba, M. (1980). Cybernetic-categories of ecosystem dynamics. *ISEM Journal*, 2, 81–96.
- Suter, G. W. (1993). *Ecological Risk Assessment*. Chelsea, MI: Lewis Publishers.

- Swannack, T. M., Grant, W. E., & Forstner, M. R. J. (2009). Projecting population trends of endangered amphibian species in the face of uncertainty: A pattern-oriented approach. *Ecological Modelling*, 220, 148–159.
- Tansley, A. G. (1935). The use and abuse of vegetational concepts and terms. *Ecology*, 16, 284–307.
- Tetra Tech Inc. (1980). *Methodology for Evaluation of Multiple Power Plant Cooling System Effects, Vol. V: Methodology Application to Prototype-Cayuga Lake*. Lafayette, California: Tetra Tech Inc, For Electric Power Research Institute. Report EPRI EA-1111.
- Thomann, R. V. (1984). Physico-chemical and ecological modelling the fate of toxic substances in natural water systems. *Ecological Modelling*, 22, 145–170.
- Thomann, R. V., et al. (1974). A food chain model of cadmium in western Lake Erie. *Water Research*, 8, 841–851.
- Thomann, R. V., & Fitzpatrick, J. F. (1982). *Calibration and verification of a mathematical model of the eutrophication of the Potomac Estuary*. Mahwah, NJ, to DES, Dist. Col. Washington D.C: Report by Hydroqual, Inc.
- Tinkle, I. J. (1967). *The life and demography of the side-blotched lizard Uta stansburiana*. *Misc. Publ. Mus. Zool. University of Michigan* Number, pp. 132–182.
- Tilman, D., & Kareiva, P. (Eds.). (1997). *Spatial Ecology: The Role of Space in Population Dynamics and Interspecific Interactions*. New Jersey: Princeton University Press.
- Turner, M. G., & Gardner, R.H. (Eds.). (1991). *Quantitative Methods in Landscape Ecology: An Introduction*. New York: Springer-Verlag.
- Turner, M. G., Gardner, R. H., & O'Neill, R. V. (2001). *Landscape Ecology in Theory and Practice: Pattern and Process*. New York: Springer-Verlag.
- Uchmanski, J., & Grimm, V. (1996). Individual-based modelling in ecology: what makes the difference? *Trends in Ecology and Evolution*, 11, 437–441.
- Uchrin, C. G. (1984). Modelling transport processes and differential accumulation of persistent toxic organic substances in groundwater systems. *Ecological Modelling*, 22, 135–144.
- Ulanowicz, R. E. (1979). Prediction chaos and ecological perspective. In E. A. Halfon (Ed.), *Theoretical Systems Ecology* (pp. 107–117). New York: Academic Press.
- Ulanowicz, R. E. (1980). An hypothesis of the development of natural communities. *Journal of Theoretical Biology*, 85, 223–245.
- Ulanowicz, R. E. (1982). *NETWORK 4.2b: A package of computer algorithms to analyze ecological flow networks*. Copyright 1982, 1987, 1998, 1999, 2002. UMCEES Ref. No. 82–7 CBL.<http://www.cbl.umces.edu/~ulan/ntwk/netwrk.txt>
- Ulanowicz, R. E. (1986). *Growth and Development: Ecosystem Phenomenology*. New York: Springer-Verlag.
- Ulanowicz, R. E. (1995). Ecosystem trophic foundations: Lindeman exonerata. In B. C. Patten & S. E. Jørgensen (Eds.), *Complex Ecology: The Part-Whole Relation in Ecosystems* (pp. 549–560). Englewood Cliffs, New Jersey: Prentice Hall PTR.
- Ulanowicz, R. E. (1997). *Ecology, the Ascendant Perspective*. New York: Columbia University Press.
- Ulanowicz, R.E (2009). *A Third Window: Natural Life beyond Newton and Darwin*. West Conshohocken, PA: Templeton Foundation Press.
- Usher, M. B. (1972). Developments in the Leslie matrix model. In J. N. R. Jeffers (Ed.), *Mathematical Models in Ecology* (pp. 29–60). Oxford: Blackwells.

- Vanclay, J. K. (1994). *Modelling Forest Growth and Yield* (p. 312). Wallingford: Cab International.
- van den Belt, M. (2004). *Mediated Modelling*. Washington: Island Press.
- Verschueren, K. (1983). *Handbook of Environmental Data on Organic Chemicals*. New York: Van Nostrand Reinhold.
- Van Donk, E., Gulati, R. D., & Grimm, M. P. (1989). Food web manipulation in Lake Zwemlust: positive and negative effects during the first two years. *Hydrobiological Bulletin*, 23, 19–35.
- Vitousek, P. M., Aber, J. D., Howarth, R. W., Likens, G. E., Matson, P. A., Schindler, D. W., Schlesinger, W. H., & Tilman, D. G. (1997). Human alteration of the global nitrogen cycle: sources and consequences. *Ecological Applications*, 7, 737–750.
- Volterra, V. (1926). Actuations in the abundance of a species considered mathematically. *Nature*, 188, 558–560.
- Wallentin, G., Tappeiner, U., Strobla, J., & Tasser, E. (2008). Understanding alpine tree line dynamics: An individual-based model. *Ecological Modelling*, 218, 235–246.
- Wangersky, P. J., & Cunningham, W. J. (1957). Time lag in population models. *Cold Spring Harbour Symposia Quantitative Biology*, 42, 329–338.
- Wheeler, G. L., Rolfe, G. L., & Reinholdt, K. A. (1978). A simulation for lead movement in a watershed. *Ecological Modeling*, 5, 67–76.
- Willemsen, J. (1980). Fishery aspects of eutrophication. *Hydrobiological Bulletin*, 14, 12–21.
- Wilson, D. S. (1978). Prudent predation: A field test involving three species of tiger beetles. *Oikos*, 31, 128–136.
- Wilson, W. (2000). *Simulating Ecological and Evolutionary Systems in C* (p. 300). Cambridge, UK: Cambridge University Press.
- WMO (1975) *Intercomparison of Conceptual Models Used in Operational Hydrological Forecasting*. Operational Hydrology Report no. 7, Geneva, Switzerland: World Meteorological Organization.
- Wolfram, S. (1984a). Computer software in science and mathematics. *Scientific American*, 251, 140–151.
- Wolfram, S. (1984b). Cellular automata as models of complexity. *Nature*, 311, 419–424.
- Woodwell, G. M., et al. (1967). DDT residues in an East Coast estuary: A case of biological concentration of a persistent insecticide. *Science*, 156, 821–824.
- Wratt, D. S., Hadfield, M. G., Jones, M. T., Johnson, G. M., & McBurney, I. (1992). Power stations, oxides of nitrogen emissions, and photochemical smog: a modelling approach to guide decision makers. *Ecological Modelling*, 64, 185–204.
- Wuttke, G., Thober, B., & Lieth, H. (1991). Simulation of nitrate transpon in groundwater with a three-dimensional groundwater model run as a subroutine in an agroecosystem model. *Ecological Modelling*, 57, 263–276.
- Yongberg, B. A. (1977). *Application of the Aquatic Model CLEANER to Stratified Reservoir System*. Repon #1. Troy, New York: Center for Ecological Modelling, Rensselaer Polytechnic Institute.
- Zhang, J., Gurkan, Z., & Jørgensen, S. E. (2010). Application of eco-energy for assessment of ecosystem health and development of structurally dynamic models. *Ecological Modelling*, 221, 693–702.
- Zeigler, B. P. (1976). *Theory of Modelling and Simulation* (pp. 435–621). New York: Wiley.